


Latest collections and upgrades

2022

Bungee
Dome
XY&Z

4
8
12





Bungee torna a fare parte delle nostre collezioni permanenti dopo vent'anni dal suo debutto. Un restyle che la riporta all'attualità, una lampada terra-cielo che saprà valorizzare ogni ambiente con la sua presenza. I miglioramenti sono visibili fin da subito: la corda ora è tessile e disponibile in più varianti colore, la base è in cemento e si possono gestire fino a tre punti luce. Bungee si ripresenta quindi come un essenziale elemento d'arredo, caratterizzante anche da spento.

Twenty years since it first made its debut, Bungee returns to our permanent collections with a restyling that brings it back up to date: a floor-to-ceiling light fitting whose presence will enhance any space. The improvements are immediately obvious: the cable is now made from fabric and comes in a range of colours; the base is made of concrete and can take up to three lamps. With these improvements, Bungee once again re-introduces itself as an essential element for furnishing interiors that has a strong presence even when it is switched off.

La collezione Bungee è costituita da una terra-cielo per interno. Bungee è composta da un cavo tessile con attacco a soffitto e alimentazione a terra. Il corpo illuminante è scorrevole, ruotante e dotato di un anello in alluminio con molle d'acciaio, che consentono di orientare a piacere il fascio di luce. La sorgente luminosa è un LED integrato ed è disponibile dimmerabile PUSH.

The Bungee Collection is a full-height floor-to-ceiling lamp for indoor use. The light fittings are supported on a fabric cable that is fixed to the ceiling. The power supply is at floor level. The body of the fitting can slide up and down and rotate, and has an aluminium ring with steel springs that enable the beam of light to be directed as desired. The light source is an integrated LED and is available with a dimmer PUSH.



Bungee

Tipology Floor-to-ceiling lamp
Dimensions Ø12,5cm x h. max 300cm
Materials Aluminum – Steel
Light Source LED 1x7W – 2700K/3000K – CRI 90
Dimmable PUSH
Finishes Black, Red, Patterned cable





Ispirato agli elementi architettonici, Dome è un sistema di illuminazione modulare a sospensione in cui ogni corpo lampada è collegato ad un altro mediante un arco così da creare una serie di volte che insieme alla luce disegnano lo spazio intorno.

Grazie alla sua componibilità e alla possibilità di aggregare infiniti moduli, il sistema Dome risulta molto flessibile e adatto ad ogni esigenza, può illuminare spazi molto ampi restituendo delle vere e proprie architetture di luce dal forte impatto visivo.

Inspired by architectural elements, Dome is a modular suspension lighting system in which the body of each lamp is connected to the others by an arch, creating a series of vaults which, together with the light itself, design the surrounding space.

Thanks to its modularity and the fact that an infinite number of modules can be aggregated together, Dome is a highly flexible lighting system that is suitable for every requirement, and can be used to light very large spaces, creating true architectures of light with a strong visual impact.

La collezione Dome è costituita da un punto luce per interno e da un arco di 1 metro realizzati in alluminio e ferro verniciati nero oppure oro. La sorgente LED è disponibile dimmerabile DALI PUSH 1..10V con alimentatore integrato. Tutte le versioni sono ad alta efficienza.

The Dome collection consists of an indoor light point and a 1 meter arc made of black or gold painted aluminum and iron. The LED source is available as DALI PUSH 1..10V dimmable, with an integrated power supply. Both versions are highly efficient.

Tipology	Pendant lamp
Dimensions	Ø5,5cm x h. 13cm
Materials	Aluminum – Iron
Light Source	LED 1x7W – 2700K/3000K – CRI 90
Dimmable	DALI PUSH 1..10V
Finishes	Black, Gold





ee
Academy



Ispirato dalla capacità della natura di moltiplicarsi da un singolo seme, XY&Z incoraggia il propagarsi della luce da un unico punto a molti elementi diversi: XY&Z è una conversazione tridimensionale tra arte, design, tecnologia e bellezza. Progettato per lo spazio interno commerciale unico, XY&Z è una fonte di illuminazione decorativa e funzionale ideale nell'ambiente open space e in spazi di ritrovo come ospitalità, ristoranti, aree di servizi e spazi di vendita al dettaglio di boutique per creare un'esperienza di design sublime.

Inspired by nature's ability to multiply from a single seed, XY&Z encourages a propagation of light from a single point to many varied elements: XY&Z is a 3 dimensional conversation between artistry, design, technology, and beauty. Designed for the unique commercial interiors space, XY&Z is an ideal decorative and functional lighting source in the open space and for gathering spaces such as hospitality, restaurant, amenities areas, and boutique retail spaces to create a sublime design experience.

Il punto luce è realizzato in vetro soffiato ed è sospeso a diverse altezze. Il vetro interno è disponibile nei colori liquirizia, prugna, petrolio, bronzo e ha una scelta tra quattro texture: slick, rigadin, baloton, aqua. Il vetro esterno è trasparente. I rosoni sono disponibili in bianco o nero e si possono connettere da uno a quattro punti luce ad ognuno. L'elettrificazione è per lampadine E14, i punti luce possono essere dimmerati a taglio di fase.

The spotlight is made of blown glass and is suspendable at varying heights. The internal glass is available in licorice, plum, petroleum, bronze finishes and has a choice of four textures: slick, rigadin, baloton, aqua. The outside glass is clear. The canopies are available in white or black and can be connected from one to four light points to each one. The lamp is suitable for use with E14 bulbs and can be dimmed with phase cut.



Tipology
Dimensions
Materials
Light Source
Dimmable
Finishes

Pendant lamp
Ø13cm x h. 20cm
Glass – Aluminum
E14 (max 10W LED)
PHASE CUT 30%-100%
Transparent, Licorice, Plum, Petroleum, Bronze



Acustica


18


Akoya

26

Puppy

32





Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico. La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore. È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.


The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.

La collezione Acustica è costituita da tre sospensioni per interno con proprietà di assorbimento acustico, di diametro da 60cm, 90cm o 120cm, e da due applique disponibili in diametro da 60cm e 90cm che mantengono invariate tutte le caratteristiche tecniche. La calotta è realizzata in PET riciclato, con struttura in alluminio anodizzato nero e diffusore in PMMA (Polimetilmetacrilato) opalino. La sorgente LED è disponibile dimmerabile 1-10V, DALI – PUSH o a taglio di fase con alimentatore integrato. Tutte le versioni sono ad alta efficienza e ripple free.

The Acustica collection consists of three indoor pendant lamps with sound- absorbing properties, in diameters of 60cm, 90cm or 120cm, and it is also available in two wall lamps in the diameters of 60cm and 90cm with all the same technical characteristics. The shell is made from recycled PET, the structure is black anodised aluminium, and the diffuser is opal PMMA (polymethylmethacrylate). The LED source is available as 1-10V dimmable, DALI/PUSH, or phase cut, with an integrated power supply. Both versions are highly efficient and flicker-free.

Tipology	Wall lamp
Dimensions	Ø60cm or Ø90cm
Materials	Recycled PET – Aluminum – PMMA
Light Source	LED 1x37W (Ø60cm) or LED 1x72W (Ø90cm) – 2700K/3000K – CRI 90+
Dimmable	ON/OFF or DALI PUSH 1..10V
Finishes	Ocean, Coral, Concrete, Lawn green, Honey







Tipology Pendant lamp
Dimensions Ø60cm, Ø90cm or Ø120cm
Materials Recycled PET – Aluminum – PMMA
Light Source LED 1x20W – 2700K/3000K – CRI 90+
Dimmable 1..10V, DALI-PUSH or PHASE CUT 30%-100%
Finishes Ocean, Coral, Concrete, Lawn green, Honey









Akoya nasce dall'evoluzione geometrica della circonferenza, che prima si fa superficie bidimensionale – il cerchio, e poi volume tridimensionale – la sfera. Dall'interazione di queste due geometrie si sviluppa l'immagine di una conchiglia che custodisce una pregiata perla luminosa al suo interno. Proprio come le perle, simbolo di perfezione e conosciute per il loro notevole grado di lucentezza, anche la collezione di lampade Akoya dimostra la sua naturale semplicità e la capacità di dialogare con il contesto architettonico in cui si trovano.

Akoya was born from the geometric evolution of the circumference, which first became a two-dimensional surface – the circle – and then a three-dimensional volume – the sphere. The interaction of these two geometries gave rise to the image of a shell housing a precious luminous pearl inside. Just like pearls, a symbol of perfection and known for their remarkable lustre, the Akoya collection also showcases its natural simplicity and ability to reflect its architectural environment.

La collezione Akoya comprende una applique di diametro 30cm e due sospensioni da interno di diametro 30cm e 60cm. È realizzata da due dischi metallici (disponibili nelle finiture bianco, antracite, corten e bronzo) che contengono un diffusore in vetro soffiato. La sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile 1..10V, DALI o ON/OFF.

The Akoya collection comprises a indoor wall lamps in diameter of 30cm and two pendant lamps in diameters of 30cm and 60cm. It is made of two metal discs (available in white, anthracite, corten and bronze finishes) containing a blown glass diffuser. The light source is a high-efficiency LED with integrated power supply and dimmable 1..10V, DALI or ON/OFF.

Tipology Pendant lamp
Dimensions Ø30cm or Ø60cm
Materials Glass – Metal
Light Source LED 1x7W (Ø30cm) or 1x20W (Ø60cm) – 2700K/3000K – CRI 90
Dimmable 1..10V, DALI or ON/OFF
Finishes White, Anthracite, Corten, Bronze







Tipology	Wall lamp
Dimensions	Ø30cm
Materials	Glass – Metal
Light Source	LED 1x7W – 2700K/3000K – CRI 90
Dimmable	1..10V, DALI or ON/OFF
Finishes	White, Anthracite, Corten, Bronze





Puppy è una lampada di piccole dimensioni e dal look essenziale. È l'unione di due elementi che si completano in una sinuosa armonia e donano alla lampada delle sembianze astratte che richiamano quelle di una marionetta. Puppy è ideale per ambienti in stile classico contemporaneo.

Puppy is a small lamp with an essential look. It is the union of two elements that complement each other in a sinuous harmony and they give the lamp abstract features that resemble those of a puppet. It is ideal for contemporary classic interiors.


La collezione Puppy comprende una lampada da tavolo e una sospensione da interni. Puppy è realizzata da una base in ceramica artigianale di Nove (Vicenza, Italia) e ha un diffusore in vetro soffiato incamiciato bianco. L'elettrificazione è a tensione di rete per lampadine LED.

The Puppy collection comprises a indoor table and pendant lamp. Puppy is made from a handcrafted ceramic base from Nove (Vicenza, Italy) and has a white blown glass diffuser. The LED bulb lamp electrification is mains voltage.

Tipology
Dimensions
Materials
Light Source
Finishes

Pendant lamp
Ø14cm x h. 25cm
Glass – Ceramic
E14 (max 10W LED)
Black







Puppy


Tipology
Dimensions
Materials
Light Source
Finishes

Table lamp
Ø14cm x h. 25cm
Glass – Ceramic
E14 (max 10W LED)
Black




Technical info

Pricelist




Gio Minelli & Marco Fossati

Pendant lamp / Sospensione	Code																														
 <p>LED 100-277V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: - kg Dimm. 1..10V</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	<table border="1"> <tr><td>F58 A71 06</td><td>Ocean</td><td>3000K</td></tr> <tr><td>F58 A71 32</td><td>Coral</td><td>3000K</td></tr> <tr><td>F58 A71 37</td><td>Concrete</td><td>3000K</td></tr> <tr><td>F58 A71 43</td><td>Lawn green</td><td>3000K</td></tr> <tr><td>F58 A71 47</td><td>Honey</td><td>3000K</td></tr> <tr><td>F58 A72 06</td><td>Ocean</td><td>2700K</td></tr> <tr><td>F58 A72 32</td><td>Coral</td><td>2700K</td></tr> <tr><td>F58 A72 37</td><td>Concrete</td><td>2700K</td></tr> <tr><td>F58 A72 43</td><td>Lawn green</td><td>2700K</td></tr> <tr><td>F58 A72 47</td><td>Honey</td><td>2700K</td></tr> </table>	F58 A71 06	Ocean	3000K	F58 A71 32	Coral	3000K	F58 A71 37	Concrete	3000K	F58 A71 43	Lawn green	3000K	F58 A71 47	Honey	3000K	F58 A72 06	Ocean	2700K	F58 A72 32	Coral	2700K	F58 A72 37	Concrete	2700K	F58 A72 43	Lawn green	2700K	F58 A72 47	Honey	2700K
F58 A71 06	Ocean	3000K																													
F58 A71 32	Coral	3000K																													
F58 A71 37	Concrete	3000K																													
F58 A71 43	Lawn green	3000K																													
F58 A71 47	Honey	3000K																													
F58 A72 06	Ocean	2700K																													
F58 A72 32	Coral	2700K																													
F58 A72 37	Concrete	2700K																													
F58 A72 43	Lawn green	2700K																													
F58 A72 47	Honey	2700K																													
<p>LED 220-240V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: - kg Dimm. DALI-PUSH</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	<table border="1"> <tr><td>F58 A81 06</td><td>Ocean</td><td>3000K</td></tr> <tr><td>F58 A81 32</td><td>Coral</td><td>3000K</td></tr> <tr><td>F58 A81 37</td><td>Concrete</td><td>3000K</td></tr> <tr><td>F58 A81 43</td><td>Lawn green</td><td>3000K</td></tr> <tr><td>F58 A81 47</td><td>Honey</td><td>3000K</td></tr> <tr><td>F58 A82 06</td><td>Ocean</td><td>2700K</td></tr> <tr><td>F58 A82 32</td><td>Coral</td><td>2700K</td></tr> <tr><td>F58 A82 37</td><td>Concrete</td><td>2700K</td></tr> <tr><td>F58 A82 43</td><td>Lawn green</td><td>2700K</td></tr> <tr><td>F58 A82 47</td><td>Honey</td><td>2700K</td></tr> </table>	F58 A81 06	Ocean	3000K	F58 A81 32	Coral	3000K	F58 A81 37	Concrete	3000K	F58 A81 43	Lawn green	3000K	F58 A81 47	Honey	3000K	F58 A82 06	Ocean	2700K	F58 A82 32	Coral	2700K	F58 A82 37	Concrete	2700K	F58 A82 43	Lawn green	2700K	F58 A82 47	Honey	2700K
F58 A81 06	Ocean	3000K																													
F58 A81 32	Coral	3000K																													
F58 A81 37	Concrete	3000K																													
F58 A81 43	Lawn green	3000K																													
F58 A81 47	Honey	3000K																													
F58 A82 06	Ocean	2700K																													
F58 A82 32	Coral	2700K																													
F58 A82 37	Concrete	2700K																													
F58 A82 43	Lawn green	2700K																													
F58 A82 47	Honey	2700K																													
<p>LED 220-240V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: - kg Dimm. Phase cut 30%-100%</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	<table border="1"> <tr><td>F58 A91 06</td><td>Ocean</td><td>3000K</td></tr> <tr><td>F58 A91 32</td><td>Coral</td><td>3000K</td></tr> <tr><td>F58 A91 37</td><td>Concrete</td><td>3000K</td></tr> <tr><td>F58 A91 43</td><td>Lawn green</td><td>3000K</td></tr> <tr><td>F58 A91 47</td><td>Honey</td><td>3000K</td></tr> <tr><td>F58 A92 06</td><td>Ocean</td><td>2700K</td></tr> <tr><td>F58 A92 32</td><td>Coral</td><td>2700K</td></tr> <tr><td>F58 A92 37</td><td>Concrete</td><td>2700K</td></tr> <tr><td>F58 A92 43</td><td>Lawn green</td><td>2700K</td></tr> <tr><td>F58 A92 47</td><td>Honey</td><td>2700K</td></tr> </table>	F58 A91 06	Ocean	3000K	F58 A91 32	Coral	3000K	F58 A91 37	Concrete	3000K	F58 A91 43	Lawn green	3000K	F58 A91 47	Honey	3000K	F58 A92 06	Ocean	2700K	F58 A92 32	Coral	2700K	F58 A92 37	Concrete	2700K	F58 A92 43	Lawn green	2700K	F58 A92 47	Honey	2700K
F58 A91 06	Ocean	3000K																													
F58 A91 32	Coral	3000K																													
F58 A91 37	Concrete	3000K																													
F58 A91 43	Lawn green	3000K																													
F58 A91 47	Honey	3000K																													
F58 A92 06	Ocean	2700K																													
F58 A92 32	Coral	2700K																													
F58 A92 37	Concrete	2700K																													
F58 A92 43	Lawn green	2700K																													
F58 A92 47	Honey	2700K																													

Gio Minelli & Marco Fossati

Pendant lamp / Sospensione



LED 100-277V
1x20W
Available in 2700K or 3000K (4000K by request)
1604lm, CRI 90+

IP40
Net weight: 4,00 kg
Dimm. **1..10V**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x20W
Available in 2700K or 3000K (4000K by request)
1604lm, CRI 90+

IP40
Net weight: 4,00 kg
Dimm. **DALI-PUSH**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x20W
Available in 2700K or 3000K (4000K by request)
1604lm, CRI 90+

IP40
Net weight: 4,00 kg
Dimm. **Phase cut 30%-100%**


Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

Code

F58 A11 06	Ocean	3000K
F58 A11 32	Coral	3000K
F58 A11 37	Concrete	3000K
F58 A11 43	Lawn green	3000K
F58 A11 47	Honey	3000K
F58 A12 06	Ocean	2700K
F58 A12 32	Coral	2700K
F58 A12 37	Concrete	2700K
F58 A12 43	Lawn green	2700K
F58 A12 47	Honey	2700K
F58 A21 06	Ocean	3000K
F58 A21 32	Coral	3000K
F58 A21 37	Concrete	3000K
F58 A21 43	Lawn green	3000K
F58 A21 47	Honey	3000K
F58 A22 06	Ocean	2700K
F58 A22 32	Coral	2700K
F58 A22 37	Concrete	2700K
F58 A22 43	Lawn green	2700K
F58 A22 47	Honey	2700K
F58 A51 06	Ocean	3000K
F58 A51 32	Coral	3000K
F58 A51 37	Concrete	3000K
F58 A51 43	Lawn green	3000K
F58 A51 47	Honey	3000K
F58 A52 06	Ocean	2700K
F58 A52 32	Coral	2700K
F58 A52 37	Concrete	2700K
F58 A52 43	Lawn green	2700K
F58 A52 47	Honey	2700K

Gio Minelli & Marco Fossati

Pendant lamp / Sospensione




Pendant lamp / Sospensione		Code		
<p>LED 100-277V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: 6,00 kg Dimm. 1..10V</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	F58 A31 06	Ocean	3000K	
	F58 A31 32	Coral	3000K	
	F58 A31 37	Concrete	3000K	
	F58 A31 43	Lawn green	3000K	
	F58 A31 47	Honey	3000K	
	F58 A32 06	Ocean	2700K	
	F58 A32 32	Coral	2700K	
	F58 A32 37	Concrete	2700K	
	F58 A32 43	Lawn green	2700K	
	F58 A32 47	Honey	2700K	
<p>LED 220-240V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: 6,00 kg Dimm. DALI-PUSH</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	F58 A41 06	Ocean	3000K	
	F58 A41 32	Coral	3000K	
	F58 A41 37	Concrete	3000K	
	F58 A41 43	Lawn green	3000K	
	F58 A41 47	Honey	3000K	
	F58 A42 06	Ocean	2700K	
	F58 A42 32	Coral	2700K	
	F58 A42 37	Concrete	2700K	
	F58 A42 43	Lawn green	2700K	
	F58 A42 47	Honey	2700K	
<p>LED 220-240V 1x20W Available in 2700K or 3000K (4000K by request) 1604lm, CRI 90+</p> <p>IP40 Net weight: 6,00 kg Dimm. Phase cut 30%-100%</p> <p>Included: LED, Dimmable electronic driver / LED, Alimentatore elettronico dimmerabile</p>	F58 A61 06	Ocean	3000K	
	F58 A61 32	Coral	3000K	
	F58 A61 37	Concrete	3000K	
	F58 A61 43	Lawn green	3000K	
	F58 A61 47	Honey	3000K	
	F58 A62 06	Ocean	2700K	
	F58 A62 32	Coral	2700K	
	F58 A62 37	Concrete	2700K	
	F58 A62 43	Lawn green	2700K	
	F58 A62 47	Honey	2700K	

Gio Minelli & Marco Fossati

Wall-ceiling lamp / Parete-soffitto

Code



LED 220-240V
1x37W
Available in 2700K or 3000K (4000K by request)
1725lm, CRI 90+

IP40
Net weight: - kg
Dimm. **ON/OFF**

Included: LED, Electronic driver
/ LED, Alimentatore elettronico


F58 G01 06	Ocean	3000K
F58 G01 32	Coral	3000K
F58 G01 37	Concrete	3000K
F58 G01 43	Lawn green	3000K
F58 G01 47	Honey	3000K
F58 G02 06	Ocean	2700K
F58 G02 32	Coral	2700K
F58 G02 37	Concrete	2700K
F58 G02 43	Lawn green	2700K
F58 G02 47	Honey	2700K

LED 220-240V
1x37W
Available in 2700K or 3000K (4000K by request)
1725lm, CRI 90+

IP40
Net weight: - kg
Dimm. **DALI PUSH 1..10V**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

F58 G11 06	Ocean	3000K
F58 G11 32	Coral	3000K
F58 G11 37	Concrete	3000K
F58 G11 43	Lawn green	3000K
F58 G11 47	Honey	3000K
F58 G12 06	Ocean	2700K
F58 G12 32	Coral	2700K
F58 G12 37	Concrete	2700K
F58 G12 43	Lawn green	2700K
F58 G12 47	Honey	2700K



LED 220-240V
1x72W
Available in 2700K or 3000K (4000K by request)
3295lm, CRI 90+

IP40
Net weight: - kg
Dimm. **ON/OFF**

Included: LED, Electronic driver
/ LED, Alimentatore elettronico

F58 G21 06	Ocean	3000K
F58 G21 32	Coral	3000K
F58 G21 37	Concrete	3000K
F58 G21 43	Lawn green	3000K
F58 G21 47	Honey	3000K
F58 G22 06	Ocean	2700K
F58 G22 32	Coral	2700K
F58 G22 37	Concrete	2700K
F58 G22 43	Lawn green	2700K
F58 G22 47	Honey	2700K

LED 220-240V
1x72W
Available in 2700K or 3000K (4000K by request)
3295lm, CRI 90+

IP40
Net weight: - kg
Dimm. **DALI PUSH 1..10V**


Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

F58 G31 06	Ocean	3000K
F58 G31 32	Coral	3000K
F58 G31 37	Concrete	3000K
F58 G31 43	Lawn green	3000K
F58 G31 47	Honey	3000K
F58 G32 06	Ocean	2700K
F58 G32 32	Coral	2700K
F58 G32 37	Concrete	2700K
F58 G32 43	Lawn green	2700K
F58 G32 47	Honey	2700K

Filippo Protasoni

Pendant lamp / Sospensione

Code



LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,38 kg
Dimm. **1..10V**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,38 kg
Dimm. **DALI**


Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,38 kg
Dimm. **ON/OFF**

Included: LED, Electronic driver
/ LED, Alimentatore elettronico

F61 A11 01	White	3000K
F61 A11 21	Anthracite	3000K
F61 A11 25	Corten	3000K
F61 A11 76	Bronze	3000K
F61 A12 01	White	2700K
F61 A12 21	Anthracite	2700K
F61 A12 25	Corten	2700K
F61 A12 76	Bronze	2700K
F61 A21 01	White	3000K
F61 A21 21	Anthracite	3000K
F61 A21 25	Corten	3000K
F61 A21 76	Bronze	3000K
F61 A22 01	White	2700K
F61 A22 21	Anthracite	2700K
F61 A22 25	Corten	2700K
F61 A22 76	Bronze	2700K
F61 A31 01	White	3000K
F61 A31 21	Anthracite	3000K
F61 A31 25	Corten	3000K
F61 A31 76	Bronze	3000K
F61 A32 01	White	2700K
F61 A32 21	Anthracite	2700K
F61 A32 25	Corten	2700K
F61 A32 76	Bronze	2700K



LED 220-240V
1x20W
Available in 2700K or 3000K (4000K by request)
1776lm, CRI 90+

IP20
Net weight: 12,00 kg
Dimm. **1..10V**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x20W
Available in 2700K or 3000K (4000K by request)
1776lm, CRI 90+

IP20
Net weight: 12,00 kg
Dimm. **DALI**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x20W
Available in 2700K or 3000K (4000K by request)
1776lm, CRI 90+

IP20
Net weight: 12,00 kg
Dimm. **ON/OFF**


Included: LED, Electronic driver
/ LED, Alimentatore elettronico

F61 A61 01	White	3000K
F61 A61 21	Anthracite	3000K
F61 A61 25	Corten	3000K
F61 A61 76	Bronze	3000K
F61 A62 01	White	2700K
F61 A62 21	Anthracite	2700K
F61 A62 25	Corten	2700K
F61 A62 76	Bronze	2700K
F61 A71 01	White	3000K
F61 A71 21	Anthracite	3000K
F61 A71 25	Corten	3000K
F61 A71 76	Bronze	3000K
F61 A72 01	White	2700K
F61 A72 21	Anthracite	2700K
F61 A72 25	Corten	2700K
F61 A72 76	Bronze	2700K
F61 A81 01	White	3000K
F61 A81 21	Anthracite	3000K
F61 A81 25	Corten	3000K
F61 A81 76	Bronze	3000K
F61 A82 01	White	2700K
F61 A82 21	Anthracite	2700K
F61 A82 25	Corten	2700K
F61 A82 76	Bronze	2700K

Akoya F61

Filippo Protasoni

Wall lamp / Parete



LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,20 kg
Dimm. **1..10V**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,20 kg
Dimm. **DALI**

Included: LED, Dimmable electronic driver
/ LED, Alimentatore elettronico dimmerabile

LED 220-240V
1x7W
Available in 2700K or 3000K (4000K by request)
622lm, CRI 90+

IP20
Net weight: 3,20 kg
Dimm. **ON/OFF**

Included: LED, Electronic driver
/ LED, Alimentatore elettronico


Code

F61 D11 01	White	3000K
F61 D11 21	Anthracite	3000K
F61 D11 25	Corten	3000K
F61 D11 76	Bronze	3000K
F61 D12 01	White	2700K
F61 D12 21	Anthracite	2700K
F61 D12 25	Corten	2700K
F61 D12 76	Bronze	2700K
F61 D21 01	White	3000K
F61 D21 21	Anthracite	3000K
F61 D21 25	Corten	3000K
F61 D21 76	Bronze	3000K
F61 D22 01	White	2700K
F61 D22 21	Anthracite	2700K
F61 D22 25	Corten	2700K
F61 D22 76	Bronze	2700K
F61 D31 01	White	3000K
F61 D31 21	Anthracite	3000K
F61 D31 25	Corten	3000K
F61 D31 76	Bronze	3000K
F61 D32 01	White	2700K
F61 D32 21	Anthracite	2700K
F61 D32 25	Corten	2700K
F61 D32 76	Bronze	2700K

Dome F65

Alessandro Di Prisco

Pendant lamp / Sospensione **Code**




LED 230Vac
3x7W
Available in 2700K or 3000K
(4000K by request)
3x920lm, CRI 90

IP20
Net weight: - kg
Dimm. DALI PUSH 1..10V

Included: 3 spots with integrated LED, 3 arches, canopy with dimmable electronic driver / 3 punti luce con LED integrato, 3 archetti, rosone con alimentatore elettronico dimmerabile

F65 A11 ST 02	Black	3000K, 15° (narrow beam)
F65 A11 LT 02	Black	3000K, 45° (wide beam)
F65 A11 ST 12	Gold	3000K, 15° (narrow beam)
F65 A11 LT 12	Gold	3000K, 45° (wide beam)
F65 A12 ST 02	Black	2700K, 15° (narrow beam)
F65 A12 LT 02	Black	2700K, 45° (wide beam)
F65 A12 ST 12	Gold	2700K, 15° (narrow beam)
F65 A12 LT 12	Gold	2700K, 45° (wide beam)




LED 230Vac
4x7W
Available in 2700K or 3000K
(4000K by request)
4x920lm, CRI 90

IP20
Net weight: - kg
Dimm. DALI PUSH 1..10V

Included: 4 spots with integrated LED, 4 arches, canopy with dimmable electronic driver / 4 punti luce con LED integrato, 4 archetti, rosone con alimentatore elettronico dimmerabile

F65 A11 SQ 02	Black	3000K, 15° (narrow beam)
F65 A11 LQ 02	Black	3000K, 45° (wide beam)
F65 A11 SQ 12	Gold	3000K, 15° (narrow beam)
F65 A11 LQ 12	Gold	3000K, 45° (wide beam)
F65 A12 SQ 02	Black	2700K, 15° (narrow beam)
F65 A12 LQ 02	Black	2700K, 45° (wide beam)
F65 A12 SQ 12	Gold	2700K, 15° (narrow beam)
F65 A12 LQ 12	Gold	2700K, 45° (wide beam)



LED 230Vac
6x7W
Available in 2700K or 3000K
(4000K by request)
6x920lm, CRI 90

IP20
Net weight: - kg
Dimm. DALI PUSH 1..10V

Included: 6 spots with integrated LED, 7 arches, canopy with dimmable electronic driver / 6 punti luce con LED integrato, 7 archetti, rosone con alimentatore elettronico dimmerabile

F65 A11 SR 02	Black	3000K, 15° (narrow beam)
F65 A11 LR 02	Black	3000K, 45° (wide beam)
F65 A11 SR 12	Gold	3000K, 15° (narrow beam)
F65 A11 LR 12	Gold	3000K, 45° (wide beam)
F65 A12 SR 02	Black	2700K, 15° (narrow beam)
F65 A12 LR 02	Black	2700K, 45° (wide beam)
F65 A12 SR 12	Gold	2700K, 15° (narrow beam)
F65 A12 LR 12	Gold	2700K, 45° (wide beam)

Alessandro Di Prisco

Spots / Punti luce		Code			
	LED 24Vdc	F65 L11 S 02	Black	3000K, 15° (narrow beam)	
	1x7W	F65 L11 L 02	Black	3000K, 45° (wide beam)	
	Available in 2700K or 3000K (4000K by request)	F65 L11 S 12	Gold	3000K, 15° (narrow beam)	
	920lm, CRI 90	F65 L11 L 12	Gold	3000K, 45° (wide beam)	
	IP20	F65 L12 S 02	Black	2700K, 15° (narrow beam)	
	Net weight: - kg	F65 L12 L 02	Black	2700K, 45° (wide beam)	
	Dimm. DALI PUSH 1..10V	F65 L12 S 12	Gold	2700K, 15° (narrow beam)	
	Included: LED / LED	F65 L12 L 12	Gold	2700K, 45° (wide beam)	


Arch / Archetto		Code			
	IP20	F65 K00 02	Black		
	Net weight: - kg	F65 K00 12	Gold		
Not included: Spots / Punti luce					

Canopies / Rosoni		Code			
	LED 230Vac	F65 M01 02	Black	Max. 4 spots	
	IP20	F65 M01 12	Gold	Max. 4 spots	
	Net weight: - kg				
	Dimm. DALI PUSH 1..10V				
Included: Dimmable electronic driver / Alimentatore elettronico dimmerabile					
Not included: Spots / Punti luce					
	LED 230Vac	F65 M02 02	Black	Max. 6 spots	
	IP20	F65 M02 12	Gold	Max. 6 spots	
	Net weight: - kg				
	Dimm. DALI PUSH 1..10V				
Included: Dimmable electronic driver / Alimentatore elettronico dimmerabile					
Not included: Spots / Punti luce					

Puppy F62

Alberto Ghirardello

Pendant lamp / Sospensione Code




E14 220-240V F62 A01 02 Black

IP20
Net weight: 1,00 kg

Not included: Bulb / Lampadina

Max. 10W LED

Table lamp / Tavolo Code



E14 220-240V F62 B01 02 Black

IP20
Net weight: 1,00 kg


Not included: Bulb / Lampadina

Max. 10W LED

XY&Z F63

Gensler Studio

Glass / Vetri Code



Net weight: - kg F63 V01 02 Licorice Slick internal glass

Not included: Spots / Punti luce F63 V01 43 Petroleum Slick internal glass

F63 V02 02 Licorice Rigadin internal glass

F63 V02 76 Bronze Rigadin internal glass


F63 V03 40 Plum Baloton internal glass

F63 V03 43 Petroleum Baloton internal glass

F63 V04 40 Plum Aqua internal glass

F63 V04 76 Bronze Aqua internal glass

Spots / Punti luce Code



E14 220-240V F63 L01 02 Black Transparent external glass, 3m cable

IP20
Net weight: - kg
Dimm. Phase cut 30%-100%

Not included: Bulb / Lampadina

Max. 10W LED

Canopies / Rosoni Code



IP20 F63 M01 01 White

Net weight: - kg F63 M01 02 Black

Not included: Spots / Punti luce

© Fabbian 2022
All rights reserved

Graphic Design
Ottone Studio

Images
Metaverso

Print
Grafiche Antiga spa
October 2022

Contact

Italy
via Vicenza, 32
31050, Veduggio, Treviso
tel +39 0423 4848
fax +39 0423 484395
www.fabbian.com

Sales
italia@fabbian.com
export@fabbian.com

Mkt & Com
marketing@fabbian.com

Usa & Canada
Fabbian Usa Corp.
307 W 38th St Ste 1103
New York, NY 10018, Usa
ph. +1 646 518 4160
fax +1 646 518 4180
www.fabbian.us

Sales
usa@fabbian.com
canada@fabbian.com


Mkt & Com
marketing.usa@fabbian.com

Questo catalogo non può essere copiato, scansionato o riprodotto con alcun mezzo. Tutti i diritti sono riservati. Immagini, descrizioni, quotazioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi. Pur mantenendo le caratteristiche fondamentali del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento con l'unico scopo di miglioramento.

This catalogue cannot be copied, scanned or reproduced by any means. All rights reserved.

Pictures, descriptions, quoting, dimensions and technical datas have to be considered as purely indicative. While maintaining the basic characteristic of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

Dome
XY&Z
Bungee
Acustica
Akoya
Puppy



fabbian.com